



**Mystique®** “a curtain and blind in one”



# SPECIFICATIONS



# SPECIFICATIONS

Sec. : Mystique®  
Date: Aug 2017

# Mystique® - Overview



The Mystique® is a recent addition to the Window Treatments product range. A hybrid of a curtain and blind, Mystique® offers block out and light filtering in one. The perfect application for French or sliding doors

## Operating Mystique®

A chain is used to rotate the angle of Mystique's® curtain folds into the open or closed position. To draw Mystique® to the side a pulley cord is used. Chain/ Cord controls can both be placed on the same end or opposing ends depending on preference and application.



Cord control



Fabric header



Fabric header



SPECIFICATIONS

Sec. : Mystique®  
Date: Aug 2017

## Fixing Position

Mystique® offers three different fixing positions to best suit your application.

### Top Fix

Our most common fixing position is top fix. Inside a reveal, recess or fixed directly to the ceiling, top fix will allow for the most aesthetic installation.

### Top Fix with extension brackets

Installations in narrow reveals where clearance may be needed for protruding handles or mullions we offer a top fix with extension brackets. Either P4 (100mm) or P5 (125mm) extension brackets are used allowing Mystique® to clear any objects that may affect its operation.


### Face Fix

Face fix allows for installation outside of the window frame. Mystique® can either be fixed on or above the reveal with P4 or P5 extension brackets used to clear any protruding objects.



## Drawing Options

There are two draw options for Mystique®: one-way draw and two-way draw. One-way draw allows you to choose the direction mystique® is drawn. This option is ideal for left or right opening sliding doors as it keeps Mystique's® fabric away from thoroughfares. Two-way draw is a good choice for center opening doors because it keeps Mystique's® fabric to both sides making center opening doors easily accessible.



## Maximum & minimum size guidelines


Mystique's® maximum width is 4000mm with a maximum drop of 2800mm. If you require a larger blind, two separate mystique's® can be ordered, each with a one way draw. Mystique's® minimum width is 400mm with a 2750mm minimum drop.

## Stacking Width Formula

To calculate the width of Mystique's® fabric in the drawn position (stacking width) the formula below can be used: Divide Width by 5.5 then add 50mm per side of stacking (e.g. 2000mm one way draw / 5.5 + 50mm = 415mm Stack) (e.g. 2000mm two way draw / 5.5 + 100mm = 464/2 = 232mm Stack per side)


## Recess Measurements

Mystique® can be installed into recesses 170mm wide or larger



## Head rail and Componentry Options

The Mystique® track comes in three standard colours; White, Black and Anodised. Custom colours are available on request with a small surcharge. Other componentry standard colours (cannot be custom coloured): Travellers are available in grey only. End caps, chain and cord are available in black, white or grey.



## Mystique® Fabric Options:

Lohas range colours: Black, Honey, Sand, Dove  
New Lohas range colours: Tusk, Kinetic

TECHNICAL DATA	Lohas	New Lohas
COMPOSITION	100% Polyester	100% Polyester
FABRIC THICKNESS	0.37mm & 0.18mm	0.35mm & 0.14mm
FABRIC WEIGHT	204 gsm	251 gsm
LIGHT FASTNESS	<4	<4